



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((hardware/software partitioning)<in>metadata) and hot and profile"

Your search matched 5 of 1297674 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [print friendly](#)

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Frequent loop detection using efficient nonintrusive on-chip hardware**
 Gordon-Ross, A.; Vahid, F.;
 Computers, IEEE Transactions on
 Volume 54, Issue 10, Oct. 2005 Page(s):1203 - 1215
 Digital Object Identifier 10.1109/TC.2005.165
[AbstractPlus](#) | Full Text: [PDF](#)(1808 KB) IEEE JNL
- ☐ 2. **A branch-and-bound algorithm for hardware/software partitioning**
 Jigang, W.; Srikanthan Thambipillai;
 Signal Processing and Information Technology, 2004. Proceedings of the Fourth IEEE International Symposium on
 18-21 Dec. 2004 Page(s):526 - 529
 Digital Object Identifier 10.1109/ISSPIT.2004.1434407
[AbstractPlus](#) | Full Text: [PDF](#)(203 KB) IEEE CNF
- ☐ 3. **A 4:2:2P@ML MPEG-2 video encoder board using an enhanced MP@ML video encoder LSI**
 Yoshitome, T.; Minami, T.; Ikeda, R.; Nitta, K.; Suguri, K.;
 Consumer Electronics, IEEE Transactions on
 Volume 45, Issue 4, Nov 1999 Page(s):1130 - 1133
 Digital Object Identifier 10.1109/30.809192
[AbstractPlus](#) | Full Text: [PDF](#)(216 KB) IEEE JNL
- ☐ 4. **An automated approach to HW/SW-codesign [Hardware/software partitioning]**
 Hardt, W.;
 Partitioning in Hardware-Software Codesigns, IEE Colloquium on
 13 Feb 1995 Page(s):4/1 - 4/1
[AbstractPlus](#) | Full Text: [PDF](#)(760 KB) IEE CNF
- ☐ 5. **Hardware/software partitioning for performance enhancement**
 Edwards, M.D.; Forrest, J.;
 Partitioning in Hardware-Software Codesigns, IEE Colloquium on
 13 Feb 1995 Page(s):2/1 - 2/5
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEE CNF

[View Selected Items](#)



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((hardware/software partitioning)<in>metadata)"

Your search matched 215 of 1297674 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((hardware/software partitioning)<in>metadata)

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select

Article Information

View: 1-25 | [26-50](#) | [51-75](#) | [76-100](#)

1. An approach to automated hardware/software partitioning using a flexible granularity that is driven by high-level estimation techniques

Henkel, J.; Ernst, R.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 9, Issue 2, April 2001 Page(s):273 - 289
Digital Object Identifier 10.1109/92.924041

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(464 KB) IEEE JNL


2. A configurable logic architecture for dynamic hardware/software partitioning

Lysecky, R.; Vahid, F.;
Design, Automation and Test in Europe Conference and Exhibition, 2004. Proceedings
Volume 1, 16-20 Feb. 2004 Page(s):480 - 485 Vol.1
Digital Object Identifier 10.1109/DATE.2004.1268892

[AbstractPlus](#) | Full Text: [PDF](#)(243 KB) IEEE CNF


3. Hardware/software partitioning of embedded systems with multiple hardware processes

Hendry, D.C.; Sananikone, D.S.;
Computers and Digital Techniques, IEE Proceedings-
Volume 144, Issue 5, Sept. 1997 Page(s):285 - 294

[AbstractPlus](#) | Full Text: [PDF](#)(984 KB) IEE JNL


4. An approach to hardware/software partitioning for multiple hardware devices model

Pu Geguang; Zhao Xiangpeng; Wang Shuling; Qiu Zongyan; He Jifeng; Wang Yi;
Software Engineering and Formal Methods, 2004. SEFM 2004. Proceedings of the Second International Conference on
28-30 Sept. 2004 Page(s):376 - 385
Digital Object Identifier 10.1109/SEFM.2004.1347542

[AbstractPlus](#) | Full Text: [PDF](#)(923 KB) IEEE CNF


5. Area/delay estimation for digital signal processor cores

Miyaoka, Y.; Kataoka, Y.; Togawa, N.; Yanagisawa, M.; Ohtsuki, T.;
Design Automation Conference, 2001. Proceedings of the ASP-DAC 2001. Asia and South Pacific
30 Jan.-2 Feb. 2001 Page(s):156 - 161
Digital Object Identifier 10.1109/ASPDAC.2001.913297

[AbstractPlus](#) | Full Text: [PDF](#)(524 KB) IEEE CNF


6. A new approach to solving the hardware-software partitioning problem in embedded system design

Engels, D.W.; Devadas, S.;
Integrated Circuits and Systems Design, 2000. Proceedings. 13th Symposium on
18-24 Sept. 2000 Page(s):275 - 280
Digital Object Identifier 10.1109/SBCCI.2000.876042

[AbstractPlus](#) | Full Text: [PDF](#)(492 KB) IEEE CNF

- ☐ **7. A hardware/software partitioning algorithm for processor cores of digital signal processing**
Togawa, N.; Sakurai, T.; Yanagisawa, M.; Ohtsuki, T.;
Design Automation Conference, 1999. Proceedings of the ASP-DAC '99. Asia and South Pacific
18-21 Jan. 1999 Page(s):335 - 338 vol.1
Digital Object Identifier 10.1109/ASPDAC.1999.760027
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) **IEEE CNF**

- ☐ **8. Hardware software partitioning with integrated hardware design space exploration**
Srinivasan, V.; Radhakrishnan, S.; Vemuri, R.;
Design, Automation and Test in Europe, 1998., Proceedings
23-26 Feb. 1998 Page(s):28 - 35
Digital Object Identifier 10.1109/DATE.1998.655833
[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) **IEEE CNF**

- ☐ **9. Hardware/software partitioning for telecommunications systems**
Rousseau, F.; Berge, J.-M.; Israel, M.;
Computer Software and Applications Conference, 1996. COMPSAC '96., Proceedings of 20th International
21-23 Aug. 1996 Page(s):483 - 488
Digital Object Identifier 10.1109/CMPSAC.1996.544617
[AbstractPlus](#) | Full Text: [PDF\(528 KB\)](#) **IEEE CNF**

- ☐ **10. Hardware/software partitioning using integer programming**
Niemann, R.; Marwedel, P.;
European Design and Test Conference, 1996. ED&TC 96. Proceedings
11-14 March 1996 Page(s):473 - 479
Digital Object Identifier 10.1109/EDTC.1996.494343
[AbstractPlus](#) | Full Text: [PDF\(540 KB\)](#) **IEEE CNF**

- ☐ **11. Adaptation of force-directed scheduling algorithm for hardware/software partitioning**
Rousseau, F.; Benzakki, J.; Berge, J.-M.; Israel, M.;
Rapid System Prototyping, 1995. Proceedings., Sixth IEEE International Workshop on
7-9 June 1995 Page(s):33 - 37
Digital Object Identifier 10.1109/WRSP.1995.518568
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) **IEEE CNF**

- ☐ **12. Accelerating embedded applications using dynamically reconfigurable hardware and evolutionary algorithms**
Harkin, J.; McGinnity, T.M.; Maguire, L.P.;
Field-Programmable Custom Computing Machines, 2000 IEEE Symposium on
17-19 April 2000 Page(s):321 - 322
Digital Object Identifier 10.1109/FPGA.2000.903436
[AbstractPlus](#) | Full Text: [PDF\(148 KB\)](#) **IEEE CNF**

- ☐ **13. Hardware/software partitioning for multifunction systems**
Kalavade, A.; Subrahmanyam, P.A.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 17, Issue 9, Sept. 1998 Page(s):819 - 837
Digital Object Identifier 10.1109/43.720318
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(512 KB\)](#) **IEEE JNL**

- ☐ **14. Avalanche: an environment for design space exploration and optimization of low-power embedded systems**
Henkel, J.; Yanbing Li;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 10, Issue 4, Aug. 2002 Page(s):454 - 468
Digital Object Identifier 10.1109/TVLSI.2002.800524
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(907 KB\)](#) **IEEE JNL**

- ☐ **15. Hardware-software partitioning and pipelined scheduling of transformative applications**
Chatha, K.S.; Vemuri, R.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 10, Issue 3, June 2002 Page(s):193 - 208
Digital Object Identifier 10.1109/TVLSI.2002.1043323

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(473 KB\)](#) [IEEE JNL](#)

- ☐ **16. Hardware/software partitioning of operating systems: focus on deadlock detection and avoidance**
Lee, J.J.; Mooney, V.J., III;
Computers and Digital Techniques, IEE Proceedings-
Volume 152, Issue 2, Mar 2005 Page(s):167 - 182
Digital Object Identifier 10.1049/ip-cdt:20045078
[AbstractPlus](#) | Full Text: [PDF\(886 KB\)](#) [IEE JNL](#)

- ☐ **17. Partitioning methodology for dynamically reconfigurable embedded systems**
Harkin, J.; McGinnity, T.M.; Maguire, L.P.;
Computers and Digital Techniques, IEE Proceedings-
Volume 147, Issue 6, Nov. 2000 Page(s):391 - 396
Digital Object Identifier 10.1049/ip-cdt:20000871
[AbstractPlus](#) | Full Text: [PDF\(524 KB\)](#) [IEE JNL](#)

- ☐ **18. Hardware-software partitioning in embedded system design**
Arato, P.; Juhasz, S.; Mann, Z.A.; Orban, A.; Papp, D.;
Intelligent Signal Processing, 2003 IEEE International Symposium on
4-6 Sept. 2003 Page(s):197 - 202
Digital Object Identifier 10.1109/ISP.2003.1275838
[AbstractPlus](#) | Full Text: [PDF\(475 KB\)](#) [IEEE CNF](#)

- ☐ **19. A hardware/software partitioning algorithm for SIMD processor cores**
Tachikake, K.; Togawa, N.; Miyaoka, Y.; Jinku Choi; Yanagisawa, M.; Ohtsuki, T.;
Design Automation Conference, 2003. Proceedings of the ASP-DAC 2003. Asia and South Pacific
21-24 Jan. 2003 Page(s):135 - 140
Digital Object Identifier 10.1109/ASPDAC.2003.1195006
[AbstractPlus](#) | Full Text: [PDF\(699 KB\)](#) [IEEE CNF](#)

- ☐ **20. A detailed cost model for concurrent use with hardware/software co-design**
Ragan, D.; Sandborn, P.; Stoaks, P.;
Design Automation Conference, 2002. Proceedings. 39th
10-14 June 2002 Page(s):269 - 274
Digital Object Identifier 10.1109/DAC.2002.1012634
[AbstractPlus](#) | Full Text: [PDF\(895 KB\)](#) [IEEE CNF](#)

- ☐ **21. Partitioning framework for less restricted partitioning problems**
Hyunok Oh; Soonhoi Ha;
VLSI and CAD, 1999. ICVC '99. 6th International Conference on
26-27 Oct. 1999 Page(s):99 - 102
Digital Object Identifier 10.1109/ICVC.1999.820836
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) [IEEE CNF](#)

- ☐ **22. Hardware/software partitioning of multirate system using static scheduling theory**
Kamdern, R.; Fonkoua, A.; Zenatti, A.;
Computer Design, 1999. (ICCD '99) International Conference on
10-13 Oct. 1999 Page(s):640 - 645
Digital Object Identifier 10.1109/ICCD.1999.808609
[AbstractPlus](#) | Full Text: [PDF\(208 KB\)](#) [IEEE CNF](#)

- ☐ **23. Preference-driven hierarchical hardware/software partitioning**
Gang Quan; Xiaobo Hu; Greenwood, G.;
Computer Design, 1999. (ICCD '99) International Conference on
10-13 Oct. 1999 Page(s):652 - 657
Digital Object Identifier 10.1109/ICCD.1999.808611
[AbstractPlus](#) | Full Text: [PDF\(96 KB\)](#) [IEEE CNF](#)

- ☐ **24. High-level estimation techniques for usage in hardware/software co-design**
Henkel, J.; Ernst, R.;
Design Automation Conference 1998. Proceedings of the ASP-DAC '98. Asia and South Pacific

10-13 Feb. 1998 Page(s):353 - 360

Digital Object Identifier 10.1109/ASPDAC.1998.669500

[AbstractPlus](#) | Full Text: [PDE\(828 KB\)](#) [IEEE CNF](#)



25. Loop pipelining in hardware-software partitioning

Jinhwan Jeon; Kiyong Choi;

Design Automation Conference 1998. Proceedings of the ASP-DAC '98. Asia and South Pacific

10-13 Feb. 1998 Page(s):361 - 366

Digital Object Identifier 10.1109/ASPDAC.1998.669501

[AbstractPlus](#) | Full Text: [PDE\(680 KB\)](#) [IEEE CNF](#)

[View Selected Items](#)

[View: 1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)



[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((hardware/software partitioning)<in>metadata) and henkel"

Your search matched 35 of 1297674 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((hardware/software partitioning)<in>metadata) and henkel


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

Select

Article Information

1-25 | 26-31



1. An approach to automated hardware/software partitioning using a flexible granularity that is driven by high-level estimation techniques

Henkel, J.; Ernst, R.;

Very Large Scale Integration (VLSI) Systems, IEEE Transactions on

Volume 9, Issue 2, April 2001 Page(s):273 - 289

Digital Object Identifier 10.1109/92.924041

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(464 KB) IEEE JNL


2. Avalanche: an environment for design space exploration and optimization of low-power embedded systems

Henkel, J.; Yanbing Li;

Very Large Scale Integration (VLSI) Systems, IEEE Transactions on

Volume 10, Issue 4, Aug. 2002 Page(s):454 - 468

Digital Object Identifier 10.1109/TVLSI.2002.800524

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(907 KB) IEEE JNL


3. A study of the speedups and competitiveness of FPGA soft processor cores using dynamic hardware/software partitioning

Lysecky, R.; Vahid, F.;

Design, Automation and Test in Europe, 2005. Proceedings

2005 Page(s):18 - 23 Vol. 1

Digital Object Identifier 10.1109/DATE.2005.38

[AbstractPlus](#) | Full Text: [PDF](#)(128 KB) IEEE CNF


4. A configurable logic architecture for dynamic hardware/software partitioning

Lysecky, R.; Vahid, F.;

Design, Automation and Test in Europe Conference and Exhibition, 2004. Proceedings

Volume 1, 16-20 Feb. 2004 Page(s):480 - 485 Vol.1

Digital Object Identifier 10.1109/DATE.2004.1268892

[AbstractPlus](#) | Full Text: [PDF](#)(243 KB) IEEE CNF


5. A low power hardware/software partitioning approach for core-based embedded systems

Henkel, J.;

Design Automation Conference, 1999. Proceedings. 36th

21-25 June 1999 Page(s):122 - 127

Digital Object Identifier 10.1109/DAC.1999.781296

[AbstractPlus](#) | Full Text: [PDF](#)(648 KB) IEEE CNF


6. A methodology for minimizing power dissipation of embedded systems through hardware/software partitioning

Henkel, J.;

VLSI, 1999. Proceedings. Ninth Great Lakes Symposium on

4-6 March 1999 Page(s):86 - 89

Digital Object Identifier 10.1109/GLSV.1999.757383

[AbstractPlus](#) | Full Text: [PDF](#)(168 KB) IEEE CNF



7. High-level estimation techniques for usage in hardware/software co-design

Henkel, J.; Ernst, R.;

Design Automation Conference 1998. Proceedings of the ASP-DAC '98. Asia and South Pacific
10-13 Feb. 1998 Page(s):353 - 360

Digital Object Identifier 10.1109/ASPDAC.1998.669500

[AbstractPlus](#) | Full Text: [PDF](#)(828 KB) IEEE CNF



8. Fast timing analysis for hardware-software co-synthesis

Ye, W.; Ernst, R.; Benner, T.; Henkel, J.;

Computer Design: VLSI in Computers and Processors, 1993. ICCD '93. Proceedings., 1993 IEEE International
Conference on

3-6 Oct. 1993 Page(s):452 - 457

Digital Object Identifier 10.1109/ICCD.1993.393335

[AbstractPlus](#) | Full Text: [PDF](#)(500 KB) IEEE CNF



9. An approach to the adaptation of estimated cost parameters in the COSYMA system

Herrmann, D.; Henkel, J.; Ernst, R.;

Hardware/Software Codesign, 1994., Proceedings of the Third International Workshop on
22-24 Sept. 1994 Page(s):100 - 107

Digital Object Identifier 10.1109/HSC.1994.336718

[AbstractPlus](#) | Full Text: [PDF](#)(428 KB) IEEE CNF



10. Hardware/software partitioning of embedded systems with multiple hardware processes

Hendry, D.C.; Sananikone, D.S.;

Computers and Digital Techniques, IEE Proceedings-
Volume 144, Issue 5, Sept. 1997 Page(s):285 - 294

[AbstractPlus](#) | Full Text: [PDF](#)(984 KB) IEE JNL



11. Hardware-software cosynthesis for microcontrollers

Ernst, R.; Henkel, J.; Benner, T.;

Design & Test of Computers, IEEE

Volume 10, Issue 4, Dec. 1993 Page(s):64 - 75

Digital Object Identifier 10.1109/54.245964

[AbstractPlus](#) | Full Text: [PDF](#)(980 KB) IEEE JNL



12. Hardware-software partitioning and pipelined scheduling of transformative applications

Chatha, K.S.; Vemuri, R.;

Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 10, Issue 3, June 2002 Page(s):193 - 208

Digital Object Identifier 10.1109/TVLSI.2002.1043323

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(473 KB) IEEE JNL



13. Partitioning methodology for dynamically reconfigurable embedded systems

Harkin, J.; McGinnity, T.M.; Maguire, L.P.;

Computers and Digital Techniques, IEE Proceedings-
Volume 147, Issue 6, Nov. 2000 Page(s):391 - 396

Digital Object Identifier 10.1049/ip-cdt:20000871

[AbstractPlus](#) | Full Text: [PDF](#)(524 KB) IEE JNL



14. Bluetooth security implementation based on software oriented hardware-software partition

Gyongsu Lee; Sin-Chong Park;

Communications, 2005. ICC 2005. 2005 IEEE International Conference on
Volume 3, 16-20 May 2005 Page(s):2070 - 2074 Vol. 3

Digital Object Identifier 10.1109/ICC.2005.1494702

[AbstractPlus](#) | Full Text: [PDF](#)(214 KB) IEEE CNF



15.

SGA - a self-adaptable granularity approach for hardware/software co-design

Jin Chen; Qiang Wu; Jinian Bian; Hongxi Xue;

ASIC, 2003. Proceedings. 5th International Conference on
Volume 1, 21-24 Oct. 2003 Page(s):365 - 368 Vol.1
Digital Object Identifier 10.1109/ICASIC.2003.1277563

[AbstractPlus](#) | Full Text: [PDE\(327 KB\)](#) [IEEE CNF](#)



16. A tool for partitioning and pipelined scheduling of hardware-software systems

Chatha, K.S.; Vemuri, R.;
System Synthesis, 1998. Proceedings. 11th International Symposium on
2-4 Dec. 1998 Page(s):145 - 151
Digital Object Identifier 10.1109/ISSS.1998.730616

[AbstractPlus](#) | Full Text: [PDE\(1428 KB\)](#) [IEEE CNF](#)



17. Integrated partitioning and scheduling for hardware/software co-design

Huiqun Liu; Wong, D.F.;
Computer Design: VLSI in Computers and Processors, 1998. ICCD '98. Proceedings., International Conference on
5-7 Oct. 1998 Page(s):609 - 614
Digital Object Identifier 10.1109/ICCD.1998.727125

[AbstractPlus](#) | Full Text: [PDE\(220 KB\)](#) [IEEE CNF](#)



18. A Hardware/software Partitioned Using A Dynamically Determined Granularity

Henkel, J.; Ernst, R.;
Design Automation Conference, 1997. Proceedings of the 34th
June 9-13, 1997 Page(s):691 - 696

[AbstractPlus](#) | Full Text: [PDE\(640 KB\)](#) [IEEE CNF](#)



19. Partitioning and pipelining for performance-constrained hardware/software systems

Bakshi, S.; Gajski, D.D.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 7, Issue 4, Dec. 1999 Page(s):419 - 432
Digital Object Identifier 10.1109/92.805749

[AbstractPlus](#) | [References](#) | Full Text: [PDE\(212 KB\)](#) [IEEE JNL](#)



20. Integrating communication protocol selection with hardware/software codesign

Knudsen, P.V.; Madsen, J.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 18, Issue 8, Aug. 1999 Page(s):1077 - 1095
Digital Object Identifier 10.1109/43.775629

[AbstractPlus](#) | [References](#) | Full Text: [PDE\(336 KB\)](#) [IEEE JNL](#)



21. Hardware-software partitioning: a case for constraint satisfaction

Mitra, R.S.; Basu, A.;
Intelligent Systems and Their Applications, IEEE [see also IEEE Intelligent Systems]
Volume 15, Issue 1, Jan.-Feb. 2000 Page(s):54 - 63
Digital Object Identifier 10.1109/5254.820330

[AbstractPlus](#) | [References](#) | Full Text: [PDE\(1256 KB\)](#) [IEEE JNL](#)



22. Codex-dp: co-design of communicating systems using dynamic programming

Jui-Ming Chang; Pedram, M.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 19, Issue 7, July 2000 Page(s):732 - 744
Digital Object Identifier 10.1109/43.851989

[AbstractPlus](#) | [References](#) | Full Text: [PDE\(244 KB\)](#) [IEEE JNL](#)



23. Evolutionary approach to hardware/software partitioning

Hu, X.; Greenwood, G.;
Computers and Digital Techniques, IEE Proceedings-
Volume 145, Issue 3, May 1998 Page(s):203 - 209

[AbstractPlus](#) | Full Text: [PDE\(772 KB\)](#) [IEEE JNL](#)



24. Software/Hardware Partition in Multiple Processors Embedded System

Na Li; Yan-Jun Fang;

Machine Learning and Cybernetics, 2005. Proceedings of 2005 International Conference on
Volume 1, 18-21 Aug. 2005 Page(s):165 - 170

[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) [IEEE CNF](#)



25. An embedded SOPC system using automation design

Qingxu Deng; Hai Xu; Shuisheng Wei; Yu Han; Ge Yu;


Parallel Processing, 2005. ICPP 2005 Workshops. International Conference Workshops on
14-17 June 2005 Page(s):232 - 239

Digital Object Identifier 10.1109/ICPPW.2005.24

[AbstractPlus](#) | Full Text: [PDF](#)(328 KB) [IEEE CNF](#)

[View Selected Items](#)

1-25 | [26-31](#)



[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((hardware/software partitioning)<in>metadata) and edwards"

Your search matched 5 of 1297674 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((hardware/software partitioning)<in>metadata) and edwards

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Rapid prototyping of mixed hardware and software systems**
 Edwards, M.; Fozard, B.;
 Digital System Design, 2002. Proceedings. Euromicro Symposium on
 4-6 Sept. 2002 Page(s):118 - 125
 Digital Object Identifier 10.1109/DSD.2002.1115359
[AbstractPlus](#) | Full Text: [PDF](#)(573 KB) IEEE CNF
- ☐ 2. **Partitioning methodology for dynamically reconfigurable embedded systems**
 Harkin, J.; McGinnity, T.M.; Maguire, L.P.;
 Computers and Digital Techniques, IEE Proceedings-
 Volume 147, Issue 6, Nov. 2000 Page(s):391 - 396
 Digital Object Identifier 10.1049/ip-cdt:20000871
[AbstractPlus](#) | Full Text: [PDF](#)(524 KB) IEE JNL
- ☐ 3. **An approach to automated hardware/software partitioning using a flexible granularity that is driven by high-level estimation techniques**
 Henkel, J.; Ernst, R.;
 Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
 Volume 9, Issue 2, April 2001 Page(s):273 - 289
 Digital Object Identifier 10.1109/92.924041
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(464 KB) IEEE JNL
- ☐ 4. **Hardware/software partitioning for performance enhancement**
 Edwards, M.D.; Forrest, J.;
 Partitioning in Hardware-Software Codesigns, IEE Colloquium on
 13 Feb 1995 Page(s):2/1 - 2/5
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEE CNF
- ☐ 5. **A heterogeneous and distributed co-simulation environment [hardware/software]**
 Amory, A.; Moraes, F.; Oliveira, L.; Calazans, N.; Hessel, F.;
 Integrated Circuits and Systems Design, 2002. Proceedings. 15th Symposium on
 9-14 Sept. 2002 Page(s):115 - 120
 Digital Object Identifier 10.1109/SBCCI.2002.1137646
[AbstractPlus](#) | Full Text: [PDF](#)(399 KB) IEEE CNF

View Selected Items

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

hot code profiling FPGA accelerate executio

Search

[Advanced Search](#)[Preferences](#)**Web**Results 1 - 10 of about 15,200 for hot code profiling FPGA accelerate execution. (0.90 seconds)**FPGA Journal**Identifies **hot spots** in algorithms through detailed **profiling** and reduces ...before implementing the **accelerated** design on a Xilinx(R) Virtex-II(TM) **FPGA**. ...www.fpgajournal.com/news_stories2004/Aug/20040823_02.htm - 17k - [Cached](#) - [Similar pages](#)**Using PLDs for Algorithm Acceleration - Faster, Better, Cheaper**How much **acceleration** can you expect from adding an **FPGA**? ... The developeranalyzes the application **code profile** around areas of congestion to determine ...www.us.design-reuse.com/articles/article11254.html - 78k - Jan 13, 2006 - [Cached](#) - [Similar pages](#)**MPEG-4 is accelerated and footprint reduced by use of a ...****Hot Corners**. DSP on **FPGA NEW** · Structured ASIC · Verification IP **NEW** ...**Code profiling** indicated the main functions in the **code** that consumed the largest ...www.us.design-reuse.com/articles/article5557.html - 68k - [Cached](#) - [Similar pages](#)[[More results from www.us.design-reuse.com](#)]**Chip Design Magazine**Using a one-line **code** optimization, this **execution** time can be **accelerated** further

by a factor of ~1.7. But software modifications were specifically ...

www.chipdesignmag.com/display.php?articleId=66&issueId=9 - 52k - [Cached](#) - [Similar pages](#)**[PDF] Market Overview**File Format: PDF/Adobe Acrobat - [View as HTML](#)Designers with existing application software **code** can **profile** the application,identify **hot spots**, add new instructions and **execution** units to optimize ...www.tensilica.com/pdf/xtensa_6.pdf - [Similar pages](#)**[PDF] Hardware/Software Co-Verification Hardware/Software Co-Verification**File Format: PDF/Adobe Acrobat - [View as HTML](#)memory **hot spots**, and software **code profiling**. ... they increase the rate ofsoftware **execution**. by directing Seamless **FPGA** to access ...www.mentor.com/products/fv/news/upload/Xcell_Q3_2005_coverification_Nelson-2.pdf - [Similar pages](#)**Poseidon Design Systems Introduces ESL Tools That Analyze ...**Identifies **hot spots** in algorithms through detailed **profiling** and reduces power... before implementing the **accelerated** design on a Xilinx® Virtex-IIT **FPGA**. ...www.cimdata.com/newsletter/2004/34/04/34.04.08.htm - 12k - [Cached](#) - [Similar pages](#)**ese - Article viewer**... configuration data of an **FPGA**-like device that is used to **accelerate** the decoding.... **Profiling** of the **code** on the target processor provides either the ...www.esemagazine.co.uk/common/viewer/archive/2004/May/5/feature2.phtm - 22k - [Cached](#) - [Similar pages](#)**<i>EDN</i> hands-on project: Accelerate your performance - 11/11 ...**You can implement custom hardware **acceleration** with a discrete **FPGA** interfaced to a... After identifying what **code** to **accelerate** and deciding whether to ...www.edn.com/article/CA476908.html - [Similar pages](#)**Architectural-design considerations for implementing hardware ...**Although the insertion of **profiling code** can slow and intrusively affect theapplication performance, it will, as a first approximation, locate the main **hot** ...www.edn.com/article/CA6258598.html - [Similar pages](#)[[More results from www.edn.com](#)]Try your search again on [Google Book Search](#)

Goooooooooooooogle ►


Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)
 [Advanced Search](#)
[Preferences](#)
Web

Results 11 - 20 of about 15,200 for hot code profiling FPGA accelerate execution. (0.40 seconds)

networkZONE Product Review: Stretch, Inc. S5000 Family of Software ...First, the software developer identifies hot spots using Stretch's **profiling** tool.Then the C/C++ source **code** from the hot spot is automatically compiled ...www.analogzone.com/netp0426a.htm - 20k - [Cached](#) - [Similar pages](#)**Xcell Journal Online -- Hardware/Software Coverification article ...**Seamless **FPGA** co-verification enables you to remove synthesis and place and ...Cache efficiency and memory hot spots; **Code execution** and duration at the ...www.xilinx.com/publications/xcellonline/xcell_54/xc_coverification54.htm - 34k - [Cached](#) - [Similar pages](#)**FPGA Design, Development and Programming Tutorial - Tutorial ...**LabVIEW **FPGA** Module includes an Interrupt function, shown in Figure 7, to facilitatesynchronization of **execution** timing and data transfer with the LabVIEW ...zone.ni.com/devzone/conceptd.nsf/webmain/C3D880113CCECD7486256F9A0000F0B4 - 57k - Jan 12, 2006 - [Cached](#) - [Similar pages](#)**Improving Java performance using hardware translation**... "Shade: A Fast Instruction-Set Simulator for **Execution Profiling**, SMLI TR-93-12... 30 Chicory Systems, "A Comparison of Java **Acceleration** Technologies. ...portal.acm.org/citation.cfm?id=377792.377901 - [Similar pages](#)**Improving Java performance using hardware translation**... "Shade: A Fast Instruction-Set Simulator for **Execution Profiling**, ...James Parnis , Gareth Lee, Exploiting **FPGA** concurrency to enhance JVM performance, ...portal.acm.org/citation.cfm?id=3777901 - [Similar pages](#)[[More results from portal.acm.org](#)]**[PDF] Reconfigurable Computing Reconfigurable Computing for for User ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Online **Profiling**. Prediction based on current. **execution** window of program ...hot path head. n. Traverse the object **code**, starting with the candidate ...www.cecs.uci.edu/eve_symposiums_details/presentations/2.2_Yasuura.pdf - [Similar pages](#)**Real-Time & Embedded Computing Conference**This presentation discusses how **FPGA** technologies are being exploited in next... See how the xtUML **profile**, which adds abstract **execution** semantics to UML, ...www.rtecc.com/chicago/index.php?p=conferences - 41k - [Cached](#) - [Similar pages](#)**Real-Time & Embedded Computing Conference**See how the xtUML **profile**, which adds abstract **execution** semantics to UML, ...This presentation discusses how **FPGA** technologies are being exploited in next ...www.rtecc.com/minneapolis/index.php?p=conferences - 38k - [Cached](#) - [Similar pages](#)[[More results from www.rtecc.com](#)]**ESE Magazine**... tool generates the framework for source **code** and the **profiling** tool uncovers... CoDeveloper provides C to RTL design and compilation for various **FPGA** ...www.demosondemand.com/dod/proddemos/embedded/index.aspx?affiliate_id=CIIC&no_wrapper=false - 65k - [Cached](#) - [Similar pages](#)**[PDF] Using Hardware Acceleration to Optimize Software-Based Embedded ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)are not accurate due to the insertion of **profiling code** into the application.

System level. simulation provides a more accurate way of determining hot spots ...

www.quicklogic.com/images/Optimizing_Embedded_Systems_WP.pdf - [Similar pages](#)Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)